

Boom Lift License Tolleson

Boom Lift License Tolleson - To be able to operate an aerial boom lift, operators must be qualified through training that could be obtained using both classroom sessions and practical training and by attaining a boom lift license. Instruction should be given with respect to the kind of aerial lift that will be used on the job. A License is needed for any person who operates or works on an aerial boom lift.

Various kinds of vehicle-mounted aerial devices comprise extensible boom platforms, aerial ladders, articulating boom platforms, vertical towers, and whichever combination of these kinds.

There are a number of basic safety rules that apply to all boom lifts. Worker safety whilst within the basket is a top priority. Workers should put on a body harness and lanyard connected to the boom or basket. Never tie off to a structure, equipment or an adjacent pole. Employees should stand on the basket floor, and never climb or sit on the edge of the basket. The manufacturer's load limits must be followed.

Lift operators need to be certified to operate an aerial lift. The manufacturer's manual must be kept within the lift and the operator needs to be familiar with all aspects of that specific unit. Operators are responsible for ensuring that safety measures are followed in the operation of the lift. Testing lift controls everyday should be performed. Position outriggers and set brakes (if they are utilized) on a stable surface or on pads. When working on a slope, make use of wheel chocks.

The aerial lift vehicle should never be moved while a worker is in the basket of an elevated boom, unless they are utilizing equipment that are particularly designed for this. Articulating boom and extensible boom platforms used as employees carriers should have plainly marked, accessible, upper controls. Except for in emergency circumstances, lower controls should not be utilized to override upper controls unless authorization has been given by the individual in the lift.

Do not wear tree or pole climbers shall while working from an aerial lift.

The insulated portion of the aerial lift must not be altered.

Do check the booms to ensure it is correctly cradled and the outriggers are in the stowed position prior to moving.

When operating a boom lift next to power lines, make certain that the lines are di-electrically tested according to local rules.